# **Beyond - Fields that Sync with Sense**

Last Modified on 05/16/2024 3:39 pm CDT

Once the setup for Sense has been completed, information from Beyond will automatically sync to Sense for texting and engage automation. The following record types are synced to Sense:

- Employee
- Customer
- Contact
- Job Order
- Assignment
- Order Candidates
- Service Reps
- Employee Required Documents
- Custom Data

Within those record types are individual fields that are synced to Sense from Beyond as well. This article contains a comprehensive list of all the fields within Beyond that sync with Sense along with additional setup steps as needed.

\*Note\* This integration does require additional setup and an existing relationship with Sense. For more information about getting this setup, and pricing inquiries, please contact your TempWorks Account Manager.

\*Note\* The following field correlations can be used to create Journeys within the Sense Web Application. For more information on how to setup Journeys, please see the following Sense Knowledge Base article here.

### Employee

Employees in Beyond correlate to Candidates in Sense.

Sense Field Name	Beyond Field Location/Name
Active	Employee > Active
Address1	Employee > Details > Address 1
Address2	Employee > Details > Address 2
Categories	Employee > Details > Interest Codes > Category
City	Employee > City

Sense Field Name	Beyond Field Location/Name
Country	Employee > Country
Custom_Boolean15	Employee > Search > Assigned Filter
Custom_Date5	Employee > Details > Hiring > Activation Date
Custom_Date6	Employee > Details > Hiring > Deactivation Date
Custom_Date7	Employee > Messages > Last Message Date
Custom Toxt5	Employee > Charm Menu > Web User > View Account
Custom_Text5	Details > Web User Details > Username
Custom_Text6	Employee > Details > Hiring > Washed Status
Custom Text7	Employee > Messages > Last Message Action Code
	Name
Custom_Text8	Employee > Details > Hiring Information > Profession
Custom Text15	Employee > Work Experience > Hobbies and Languages
	> Language
Date_Added	The date the Employee was created.
Date_Last_Activity	The last Email or SMS message that was created in Sense and logged on the Employee record in Beyond.
Date_Last_Modified	The date the Employee was last modified.
Date_of_Birth	Employee > Details > EEO > Date of Birth
Email	Employee > Contact Information > Email
Ethnicity	Employee > Details > EEO > Nationality >
	Race/Ethnicity
First_Name	Employee > First Name
Gender	Employee > Details > EEO > Gender
Home_Phone	Employee > Contact Method > Home Phone
ID	Employee > Snapshot > ID
Internal_User_ID	Employee > Details > Staffing Specialist
Last_Name	Employee > Last Name
Mobile_Phone	Employee > Contact Method > Cell Phone
Nick_Name	Employee > Details > Personal > Nickname
Office	Employee > Details > Personal > Branch
Skills	Employee > Details > Interest Codes > Interest Code
Source	Employee > Details > How Heard Of > Where
State	Employee > State
Status	Employee > Status
Title	Employee > Details > Hiring > Job Title
Zipcode	Employee > Zip Code

### Customer

Customers in Beyond correlate to Companies in Sense.

Sense Field Name	Beyond Field Location/Name
Address1	Customer > Street 1
Address2	Customer > Street 2
City	Customer > City
Client_Contact_ID	Customer > Visifile > Contacts > ID Only the most recent, Active Contact record will sync with Sense.
Company_Name	Customer > Customer Name
Country	Customer > Addresses > Country
Date_Added	Customer > Details > Customer Information > Activation Date
Department	Customer > Department (or Primary)
ID	Customer > Customer ID
Internal_User_ID	The Service Rep who created the Customer record.
Phone	Customer > Contact Information > Phone
State	Customer > State
Status	Customer > Visifile > Snapshot > Status
URL	Customer > Details > Customer Information > Website
Zipcode	Customer > Zip Code

#### Contact

Contacts in Beyond correlate to Client Contacts in Sense.

Sense Field Name	Beyond Field Location/Name
Active	Contact > Active
Address1	Contact > Details > Address > Address 1
Address2	Contact > Details > Address > Address 2
City	Contact > Details > Address > City
Company_ID	Contact > Visifile > Snapshot > Customer

Sense Field Name	Beyond Field Location/Name
Country	Contact > Details > Address > Country
Custom_Date7	Employee > Messages > Last Message Date
Custom_Text9	Contact > Details > Interest Codes
Custom_Text15	Contact > Branch
Date_Added	Date the Contact record was created.
Date_Last_Modified	Date the Contact record information was last modified.
Date_of_Birth	Contact > Details > Personal > Date of Birth
Email	Contact > Visifile > Contact Information > Email
First_Name	Contact > First Name
Home_Phone	Contact > Visifile > Contact Information > Home Phone
ID	Contact > ID
Internal_User_ID	Service Rep that created the Contact record.
Last_Name	Contact > Last Name
Mobile_Phone	Contact > Visifile > Contact Information > Cell Phone
Nick_Name	Contact > Details > Personal > Nickname
Source	Contact > Details > Other Information > How Heard Of
State	Contact > Details > Address > State
Status	Contact > Visifile > Snapshot > Status
Title	Contact > Visifile > Snapshot > Title
Work_Phone	Contact > Visifile > Contact Information > Office Phone
Zipcode	Contact > Details > Address > Zip Code

### Job Order

Job Orders are the same between Beyond and Sense.

Sense Field Name	Beyond Field Location/Name
Address1	Job Order > Details > Customer Information > Worksite
	> Street 1
Address2	Job Order > Details > Customer Information > Worksite
	> Street 2
Bill_Rate	Job Order > Visifile > Snapshot > Bill Rate
Categories	Job Order > Details > Interest Codes > Category
City	Job Order > Details > Customer Information > Worksite
	> City

Sense Field Name	Beyond Field Location/Name
Client_Contact_ID	Job Order > Details > Contact Roles > Contact ID
	(Supervisor Only)
Client Contact2 ID	Job Order > Visifile > Contact Roles > Add Contact Role
Cheft_Contact2.1D	> Role > Report To
Company_ID	Job Order > Details > Customer Information > Customer
Country	Job Order > Details > Customer Information > Worksite
Country	> Country
Custom_Text_Block5	Job Order > Details > Customer Information > Directions
Custom_Text_Block6	Job Order > Details > Job Information > Dress Code
Custom_Text6	Job Order > Visifile > Snapshot > Branch
Date_Added	Date the Job Order was created.
Data End	Job Order > Details > Job Information > Estimated End
	Date
Date_Last_Modified	Date the Job Order was last modified.
Date_Start	Job Order > Details > Job Information > Start Date
Description	Job Order > Details > Job Board Options > Public Job
Description	Description
Employment_Type	Job Order > Details > Job Information > Job Order Type
ID	Job Order > Snapshot > Job Order ID
ls Dublic	Job Order > Details > Job Board Options > Publicly
	Visible
Job_URL	The job posting URL within the JobBoard.
Pay_Rate	Job Order > Details > Financials > Pay Rate
Shift	Job Order > Details > Job Information > Shift
State	Job Order > Details > Customer Information > Worksite
	> State
Status	Job Order > Details > Other Information > Status
Title	Job Order > Details > Job Information > Job Title
Zincodo	Job Order > Details > Customer Information > Worksite
Zipcode	> Zip Code

### Assignment

Assignments in Beyond correlate to Placements in Sense.

Sense Field	Beyond Field Location/Name
Bill_Rate	Assignment > Snapshot > Bill Rate
Candidate_ID	Assignment > Snapshot > Employee ID
Client Contact ID	Job Order > Details > Contact Roles > Contact ID
Client_Contact_ID	(Supervisor Only)
Company_ID	Customer > Customer ID
Custom DataTimo5	Assignment > Details > Job Information > Start Date +
Custom_Date Times	Start Time
Custom DataTimo6	Assignment > Details > Job Information > End Date + End
Custom_Date mileo	Time
Custom_Text4	Assignment > Details > Job Information > End Time
Custom_Text5	Assignment > Details > Job Information > Start Time
Custom_Text6	Assignment > Visifile > Snapshot > Branch
Custom Data 7 & Data Addad	Assignment > Details > Job Information > Original Start
Custom_Date7 & Date_Added	Date
Date_End	Assignment > Details > Job Information > End Date
Date Last Modified	The most recent date the Assignment had information
	modified.
Date_Start	Assignment > Details > Job Information > Start Date
Employment_Type	Job Order > Details > Job Information > Job Order Type
ID	Assignment > Assignment ID
Internal_User_ID	The Service Rep who created the Assignment.
Internal Liser ID2	Assignment > Details > Other Information > Account
	Manager
Internal_User_ID3	Assignment > Details > Other Information > Sales Team
Job_Order_ID	Job Order > Job Order ID
Overtime_Bill_Rate	Assignment > Details > Financials > Overtime Bill Rate
Overtime_Pay_Rate	Assignment > Details > Financials > Overtime Pay Rate
Pay_Rate	Assignment > Details > Financials > Pay Rate
Salary	Assignment > Details > Financials > Salary Pay Rate
Shift	Assignment > Details > Job Information > Shift
Status	Assignment > Details > Status

### **Order Candidates**

Order Candidates in Beyond correlate to Submissions in Sense.

Sense Field	Beyond Field Location/Name
Candidate_ID	Employee > Visifile > Snapshot > ID
Client_Contact_ID	Job Order > Details > Contact Roles > ID (Role Supervisor)
Comments	Job Order > Candidates > Comments
Date_Added	Job Order > Candidates > Employee > Placed On
Date_Last_Modified	The date the Order record was last modified.
Date_Start	Job Order > Details > Job Information > Start Date
ID	The ID of the Order Candidate record.
Job_Order_ID	Job Order > Visifile > Snapshot > Job Order ID
Owner_ID	Beyond > Employee > Details > Hiring > Staffing Specialist
Sending_User_ID	The Service Rep ID of the individual who created the Order Candidate.
Source	Beyond > Employee > Details > How Heard Of > Where
Status	Job Order > Candidates > Status

### Service Rep

Service Reps in Beyond correlate to Internal Users in Sense.

Sense Field	Beyond Field Location/Name
Active	System Settings > Service Representatives > Is Active
DateAdded	Date the Service Rep was created.
Email	System Settings > Service Representatives > Email
FirstName	System Settings > Service Representatives > First Name
	of the Full Name field
ID	ID of the Service Rep.
LastName	System Settings > Service Representatives > Last Name
	of the Full Name field.
MobilePhone	System Settings > Service Representatives > Phone

## **Employee Required Documents**

Employee Required Documents in Beyond correlate to Certificates in Sense.

Candidate_ID	Employee > Visifile > Snapshot > ID
Comments	Employee > Documents > "+" > Required Document > Requirement Description
Date_Added	Employee > Documents > "+" > Required Document > Received Date
Date_Certified	Employee > Documents > "+" > Required Document > More Fields > Issued Date
Date_Expiration	Employee > Documents > "+" > Required Document > Requirement Expiration Date
ID	ID of the Required Document.
Issued_By	Employee > Documents > "+" > Required Document > Authority
License_Number	Employee > Documents > "+" > Required Document > More Fields > License Number
License_Type	Employee > Documents > "+" > Document Type
Name	Employee > Documents > "+" > Name
Placement_ID	ID of the Assignment.
Status	Employee > Documents > "+" > Required Document > More Fields > Document Status

\*Note\* Before Employee Required Document fields are able to be synced from Beyond to Sense, the Required Document Type must be "Active" and must be enabled to sync with Sense.

Navigate to B Menu > System Settings > Required Document Types > Edit > Sync to Sense:

Edit Required Document	
* Requirement Type Name ASCP/Certificate	Assign to Category
Ex: Safety Certificate, Drivers License, etc.	
* Hierarchy System	Days Warning Before Expire 14
Description	_ Days Arter Document Opioad
Active Sync To Sense	
Requirement types cannot be deleted, they can only be edited or deactivated.	
Information for documents attached to this Requirement Type will be synced to Sense.	
	CANCEL UPDATE

Once the checkbox is selected, the fields listed above will sync with Sense for all Employee Required Documents that are linked to that Required Document Type.

Please keep in mind the following to ensure the syncing of Employee Required Document information to Sense:

- 1. The Required Document Type must be "Active" and the "Sync to Sense" checkbox must be checked.
- 2. The Employee record must be "Active".
- 3. The Employee Required Document must be linked to the Required Document Type that has been setup to sync with Sense.

\*Note\* By deactivating the Required Document Type that was setup to sync with Sense, all Employee Required Documents linked to that type will no longer sync to Sense.

All prior synced information will remain on Sense related to the Employee Required Documents, but no updated information will sync to Sense while the Required Document Type is deactivated.

\*Note\* While the syncing of information does happen automatically throughout the day, users have the option to manually sync Employee Required Document information to Sense.

Navigate to the Employee > Documents > Required Documents > Select the icon > Sync To Sense: Gilbert Benson (12045) SSN: 332-45-6847 · • Eagan, MN 55121 VISIFILE DETAILS V DOCUMENTS MESSAGES JOB MATCHING ASSIGNMENTS STORY REFE Documents = Resume.txt : Resume 2010/13/2009 REQUIRED DOCUMENTS ASCP/Certificate W4 : 12/11/2009 1/19/2022 Edit Ì ß Copy Url Î Delete Sync To Sense

#### **Custom Data**

Custom Data fields within Beyond/Enterprise correlate to Custom Data Fields within Sense.

\*Note\* Before being able to map the Custom Data fields within Beyond to Sense, Custom Data fields need to be setup within Enterprise by following the instructions within the Enterprise - How to Setup and Manage Custom Data Knowledge Base article.

Once the Custom Data fields have been setup within Enterprise, they can be configured within Beyond by following the instructions within the Beyond - Custom Data Knowledge Base article.

Once the Custom Data fields have been setup and configured as intended within Enterprise, they are able to be setup to be mapped to Sense by navigating to the B Menu > System Settings > External Service > Texting > Sense:

\*Note\* Only users who have access to System Settings in Beyond will be able to access the Custom Data mappings to Sense.

Sense Data Ma	apping ⑦ mapped custom data field that ha n Field that corresponds to your S	as been deactivat ense Field. Please	ed in Enterprise. It will continue to be synced to Sense. DISMISS allow 2 days for the sync to complete and changes to take effect.
Sense Data Field	Tempworks Custom Data Field	Record Type	Description
custom_date1	OSP Date1	Assignment	4311
custom_date1	OSP Date1	Customer	4etertertreterterterterterterter
custom_date1	QA: Order Date	Job Order	test
custom_date1	OSP Date1	Contact	
custom_date1		Employee	
custom_date2	OSP Date2	Assignment	

\*Note\* This section will only appear if there is a current Custom Data field setup for an individual record type within your system.

Regarding the first column, Sense Data Fields, Sense allows for 6 TempWorks Custom Data fields to be mapped per Sense Data Field type.

For example, Sense has the following Data Field types:

- Custom\_Date
- Custom\_Float
- Custom\_Integer
- Custom\_Text\_Block
- Custom\_Text

For each Sense Data Field type, there can be a total of 6 mapped TempWorks Custom Data Fields per record type (Employee, Customer, Contact, Job Order, Assignment).

\*Note\* Only TempWorks Custom Data fields that match the Sense Data Field type are able to be mapped accordingly.

For example, a TempWorks Custom Data field that contains a date, cannot be mapped to a Sense Data Field of "Custom\_Float", as "Custom\_Float" does not represent a date. Instead, this will need to be mapped to a Sense Data Field of "Custom\_Date".

Fortunately, when selecting the TempWorks Custom Data Field dropdown, only those fields that match the Sense Data Field type are able to be selected:

Sense Data Mapping 🕥		
▲ There is 1 mapped custom	ta field that has been deactivated in Enterprise. It will continue to be synced to Sense. DISMISS	
Select the Custom Field that corre	onds to your Sense Field. Please allow 2 days for the sync to complete and changes to take effect.	Employee 👻
Sense Data Field Tempworks Cu	m Data Field Record Type Description	
custom_date1	Employee     SAV	
custom_date2 -	Employee	
custom_date3 test	Employee	
custom_date4 yavor prop	ty 2 Employee	
custom_float1 QA: Employee I	cimal Employee	

Also note that once a TempWorks Custom Data field has been mapped to a Sense Data Field, that TempWorks Custom Data field is not able to be mapped a second time.

Once you have selected the mapping between the Sense Data field and TempWorks Custom Data field, select "Save":

Sense Data N	lapping 🕜			
A There is 1	mapped custom data field that ha	as been deactivated in	Enterprise. It will continue to be synced to Sense.	DISMISS
Select the Custo	m Field that corresponds to your S	ense Field. Please allov	w <b>2 days</b> for the sync to complete and changes to ta	ke effect.
Sense Data Field	Tempworks Custom Data Field	Record Type	Description	
custom_date1	yavor property 2 🔹	Employee		

Continue this process for each line within the chart that you would like to map.

\*Note\* Only one line can be edited at a time within the chart.

Once all of the mappings are complete, the Custom Data fields will appear within the Sense portal.

\*Note\* In the event Custom Data fields are deactivated within Enterprise, if they are still mapped within the table, they will continue to sync with Sense. These fields are indicated by the A icon next to the TempWorks Custom Data Field column:

▲ There is 1 mapped custom data field that has been deactivated in Enterprise. It will continue to be spreed to Sense. DISMISS       Employee         Select the Custom Field that corresponds to your Sense Field. Please allow 2 days for the sync to complete and changes to take effect.       Employee         Sense Data Field       Temporore 1/2       Beord Type       Description         custom, data?       Agoop Date2       Employee       Imployee	Sense Data Mapping 🔞										
Select the Custom Field that corresponds to your Sense Field. Please allow 2 busis for the sync to complete and changes to take effect.     Employee •       Sense Bata Field     Tempoorits Custom Data Field     Record Type     Description       custom_data     yoor property 2     Employee •     Imployee       custom_data     CoSP Data2     Employee     Imployee	A There is 1 mapped custom data field that has been deactivated in Enterprise. It will continue to be synced to Sense. DISMISS										
Sense Data Field         Temporois Custom Data Field         Record Type         Description           custom_date2         gworp roper2         Employee         Employee         Imployee         Imployee	Select the Custom Field that corresponds to your Sense Field. Please allow 2 days for the sync to complete and changes to take effect.	Employee 👻									
custom_distra1         yevor property 2         Employee         P           custom_distra2         CoSP Dise2         Employee         P	Sense Data Field Tempworks Custom Data Field Record Type Description										
custom_date2 🖉 COSP Date2 Employee	rustom_date1 yavor property 2 Employee	1									
	tustom_dete2 🛆 OSP Date2 Employee	1									

#### **Related Articles**