

Beyond - Session Expiration

Last Modified on 12/29/2022 8:52 am CST

Overview

Administrators have the ability to setup custom Beyond session expiration timeframes for their users. This means that, as an admin, you can configure Beyond login sessions to expire automatically within a period of inactivity (in minutes).

Permissions

In order to setup custom Beyond session expiration timing within B Menu > System Settings > Security > Authentication > Inactivity, access must be granted to this page via the "Can Administrate Authentication" along with the "Can Administrate" permissions.

By default, these permissions have been added to the "TempWorks Default - Administrator" Security Group.

For users utilizing custom Security Groups, the above permissions will need to be added to your intended Security Groups.


Note For users utilizing Security Groups with Advanced Permissions, please add access to the "Authentication" and "Inactivity" pages along with the "Edit Inactivity" form to the Security Groups that require the functionality:

BY PAGE	BY FIELD	
<input type="text" value="inactivity"/>	<input type="text" value=""/>	Selecting a parent selects children <input checked="" type="checkbox"/>
^ Settings		
^ System Settings		<input checked="" type="checkbox"/> Access
^ Security		
^ Authentication		
^ Inactivity Page		<input checked="" type="checkbox"/> Access
Edit Inactivity Form		<input checked="" type="checkbox"/> Access

For more information on creating custom Security Groups with Advanced Permissions, please see the following article titled [Beyond - Creating Security Groups with Advanced Permissions](#).

Setting Up Session Inactivity

With the proper permissions applied to the necessary Security Groups, begin by navigating to B Menu > Security > Authentication > Inactivity:



Upon first accessing this screen, the "Inactivity" card will be deactivated. Please select "Activate" to enable the card.

Note By default, this card is deactivated. This means that if you do not activate the card and select custom limits for when a Beyond session is automatically logged out, the current default system will apply (14 days).

Once the card has been activated, select "Edit" to open the "Edit Inactivity" window:

Add values within the following fields:

1. **Logout Time (minutes)** - Number of minutes before a user's session is automatically logged out (maximum limit of 14 days or 20,160 minutes)
2. **Reminder Time (minutes)** - Time before logout that warning dialog is displayed (cannot be more than the Logout Time)

Once the values have been added, select "Submit":

Edit Inactivity

* Logout Time (minutes) ?
120

* Reminder Time (minutes) ?
10

CANCEL SUBMIT

Note For the below example, users will be automatically logged out after 2 hours (120 minutes) of inactivity and they will receive a visual reminder 10 minutes before that 2-hour inactivity limit:

Session Timeout

Your session will expire at 02:45 PM due to inactivity. Would you like to stay logged in?

LOG OUT NOW STAY LOGGED IN

Once the visual reminder is presented, the user will have the option to either stay logged in or log out immediately.

Deactivating Session Inactivity

At any time, with the proper permissions, you will have the ability to deactivate the "Inactivity" card by navigating to B Menu > Security > Authentication > Inactivity and selecting "Deactivate":

Security ^

Authentication ^

Inactivity

Methods

Custom Data

Customer Statuses

Inactivity

Control how long a user can be inactive before being automatically logged out

Logout Time (minutes) ?
120

Reminder Time (minutes) ?
10

[EDIT](#) [DEACTIVATE](#)

Upon selecting "Deactivate", the card will be immediately deactivated and the Beyond session expiration behavior will revert back to the TempWorks default of 14 days.

Related Articles